



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/981,268	10/17/2001	Peter W. Wenzel	14485RRUS01U	6371

7590
Bruce E. Garlick
P.O. Box 160727
Austin, TX 78716-0727

EXAMINER

DANIEL JR, WILLIE J

ART UNIT	PAPER NUMBER
----------	--------------

2617

MAIL DATE	DELIVERY MODE
-----------	---------------

02/17/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 09/981,268	Applicant(s) WENZEL ET AL.	
	Examiner WILLIE J. DANIEL JR	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 February 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is in response to applicant's amendment filed on 09 February 2009. **Claims 1-23** are now pending in the present application. The BPAI decision has affirmed prior rejection of claims 1-23. This office action is made **Non-Final**.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114 was filed in this application after a decision by the Board of Patent Appeals and Interferences, but before the filing of a Notice of Appeal to the Court of Appeals for the Federal Circuit or the commencement of a civil action. Since this application is eligible for continued examination under 37 CFR 1.114 and the fee set forth in 37 CFR 1.17(e) has been timely paid, the appeal has been withdrawn pursuant to 37 CFR 1.114 and prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 09 February 2009 has been entered.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 7-9, 15, and 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins ("IP Mobility Support")**.

Regarding **claim 1**, Ton discloses a method for registering a subscriber unit with a home agent in a cellular system (see pg. 2, [0019]; Figs. 2-5), where a cellular system incorporating data communications packet switched networks and that deploys several home agents and a subscriber unit or mobile node, the method comprising:

storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs. 2-3, [0023, 0028]; pg. 5, [0060-0062]), wherein the cellular system/network provides a list of home agents attached to a mobile IP reply message (Mobile IP RRP) through which the subscriber unit may register, and subsequently the subscriber unit stores said list of alternate home agents for redundancy support, and where the subscriber unit can receive an advertisement to be aware of another home agent in addition to the primary home agent that is pre-assigned to the subscriber unit as evidenced by the fact that one of ordinary skill in the art would clearly recognize (see pg. 3, [0036, lines 9-12; 0039, lines 3-4]),

wherein the plurality of home agents includes a primary home agent and a plurality of secondary home agents (see pgs. 2-3, [0023-0026, 0028]; pg. 4, [0055-0057]; pg. 5, [0060-0062]), wherein the subscriber unit is statically configured to a primary home agent for registration and in case of failure, the network provides a list of secondary home agents through which the subscriber unit may register, or in an alternate embodiment the list is statically configured as well as in the subscriber unit if no modifications are made in the system/network mobility agents;

attempting the first registration with the primary home agent (see pg. 3, [0036, 0040]; Fig. 1), where the subscriber unit is statically configured to attempt registration with a given #1 home agent (HA1);

failing to achieve registration with the primary home agent (see pg. 3, [0036, 0040]; pg. 4, [0044]; pg. 6, [0081]), where the subscriber unit is statically configured to attempt registration with a given #1 home agent (HA1);

the subscriber unit selecting a secondary home agent from the plurality of secondary home agents in an attempt to balance load among the plurality of secondary home agents (see pg. 3, [0040]), where the mobile node attempting registration with a primary home agent (HA1), subsequently the network attempting to balance the load between different or secondary home agents, and through the network selecting or choosing a home agent having a lower load; and

attempting registration with the secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts registration with a secondary home agent due to failure when attempting registration with a primary home agent. Ton does not specifically disclose having the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt. However, the examiner maintains that the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt was well known in the art, as taught by Perkins.

In the same field of endeavor, Perkins discloses the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs.

34-35, section 3.6), where a mobile node (subscriber unit) in a mobile IP communication system can be configured to store IP addresses of one or more home agents (i.e., primary and secondary home agents) for discovering and registration in the system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton and Perkins to have the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt, in order to efficiently achieving registration, as taught by Perkins.

Regarding **claim 7**, Ton discloses every limitation claimed as applied above in claim 1. Ton does not specifically disclose having the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber. However, the examiner maintains that the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber was well known in the art, as taught by Perkins.

In the same field of endeavor, Perkins clearly discloses having the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber (see pgs. 34-35, section 3.6), where a mobile node is configured with IP addresses.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ton and Perkins to have the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber, as

taught by Perkins, in the method disclosed by Ton for the purpose of efficiently achieving registration.

Regarding **claim 8**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 1), in addition Ton further discloses the method of claim 1, wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by the service provider using over the air access (see pg. 4, [0055-0057]; pg. 5, [0060-0062]), wherein in case of failure attempting registration with a primary home agent, the network which is incorporated in a wireless or cellular system delivers mobile IP replies to the subscriber unit in a wireless fashion so that the subscriber unit can select from a list of alternate home agents for attempting registration.

Regarding **claim 9**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 1), in addition Ton further discloses the method of claim 1, wherein at least some of the plurality of addresses for the home agents stored in the subscriber unit is reprogrammed by the service provider using over the air access (see pg. 4, [0055-0057]; pgs. 5-6, [0060-0062, 0075-0078]), where reprogramming means such as the service provider or home network incorporated into a wireless or cellular system replying in a wireless fashion with additional or alternate home agents for the subscriber unit to attempt registration when failure at attempting registration occurs with a primary home agent.

Regarding **claim 15**, Ton discloses a subscriber unit that operates within a cellular system, the subscriber unit comprising:

an antenna (see pg. 1, [0002-0003]), where a mobile terminal that comprises the RF features such as an antenna, a radio frequency, and a digital processor;

a radio frequency unit coupled to the antenna (see pg. 1, [0002-0003]), where a mobile terminal that comprises the RF features such as an antenna, a radio frequency, and a digital processor; and

at least one digital processor coupled to the radio frequency unit that executes software instructions (see pg. 1, [0002-0003]), where a mobile terminal that comprises the RF features such as an antenna, a radio frequency, and a digital processor,

causing the subscriber unit to:

store addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs. 2-3, [0023, 0028]; pg. 5, [0060-0062]), wherein the cellular system/network provides a list of home agents attached to a mobile IP reply message (Mobile IP RRP) through which the subscriber unit may register, and subsequently the subscriber unit stores said list of alternate home agents for redundancy support, in which that redundancy support could be handled on a software redundancy implementation, and where the subscriber unit can receive an advertisement to be aware of another home agent in addition to the primary home agent that is pre-assigned to the subscriber unit as evidenced by the fact that one of ordinary skill in the art would clearly recognize (see pg. 3, [0036, lines 9-12; 0039, lines 3-4]),

wherein the plurality of home agents includes a primary home agent and a plurality of secondary home agents (see pgs. 2-3, [0023-0026, 0028]; pg. 4, [0055-0057]; pg. 5, [0060-0062]), wherein the subscriber unit is statically configured to a primary home agent for registration and in case of failure, the network provides a list of secondary home agents through which the subscriber unit may register, or in an alternate embodiment the list is

statically configured as well as in the subscriber unit if no modifications are made in the system/network mobility agents;

attempt the first registration with the primary home agent (see pg. 3, [0036, 0040]; pg. 4, [0044]; pg. 6, [0081]), where the subscriber unit is statically configured to attempt registration with a given #1 home agent (HA1);

failing to achieve registration with the primary home agent (see pg. 3, [0038-0039]; Fig. 1 “steps 120-140”), wherein the request for registration of the subscriber unit is not completed due to failure of the primary home agent;

select a secondary home agent from the plurality of secondary home agents in an attempt to balance load among the plurality of secondary home agents (see pg. 3, [0040]), where the mobile node attempting registration with a primary home agent (HA1), subsequently the network attempting to balance the load between different or secondary home agents, and through the network selecting or choosing a home agent having a lower load; and

attempt registration with the secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts registration with a secondary home agent due to failure when attempting registration with a primary home agent. Ton does not specifically disclose having the feature(s) store addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt. However, the examiner maintains that the feature(s) store addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt was well known in the art, as taught by Perkins.

In the same field of endeavor, Perkins discloses the feature(s) store addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs. 34-35, section 3.6), where a mobile node (subscriber unit) in a mobile IP communication system can be configured to store IP addresses of one or more home agents (i.e., primary and secondary home agents) for discovering and registration in the system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton and Perkins to have the feature(s) store addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt, in order to efficiently achieving registration, as taught by Perkins.

Regarding **claim 21**, Ton discloses every limitation claimed as applied above in claim 15. Ton does not specifically disclose having the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber. However, the examiner maintains that the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber was well known in the art, as taught by Perkins.

In the same field of endeavor, Perkins clearly discloses having the feature wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber (see pgs. 34-35, section 3.6), where a mobile node is configured with IP addresses.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Ton and Perkins to have the feature

wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by a service provider prior to delivering the subscriber unit to its subscriber, as taught by Perkins, in the method disclosed by Ton for the purpose of efficiently achieving registration.

Regarding **claim 22**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 15), in addition Ton further discloses the method of claim 15, wherein the plurality of addresses for the home agents stored in the subscriber unit is programmed by the service provider using over the air access (see pg. 4, [0055-0057]; pg. 5, [0060-0062]), wherein in case of failure attempting registration with a primary home agent, the network which is incorporated in a wireless or cellular system delivers mobile IP replies to the subscriber unit in a wireless fashion so that the subscriber unit can select from a list of alternate home agents for attempting registration.

Regarding **claim 23**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 15), in addition Ton further discloses the method of claim 15, wherein at least some of the plurality of addresses for the home agents stored in the subscriber unit is reprogrammed by the service provider using over the air access (see pg. 4, [0055-0057]; pgs. 5-6, [0060-0062, 0075-0078]), where reprogramming means such as the service provider or home network incorporated into a wireless or cellular system replying in a wireless fashion with additional or alternate home agents for the subscriber unit to attempt registration when failure at attempting registration occurs with a primary home agent.

Claims 2-3, 10-11, and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins (“IP Mobility Support”)** as applied to claims 1 and 15 above, and further in view of **Troxel et al.** (hereinafter Troxel) (US **2002/0078238 A1**).

Regarding **claim 2**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 1), in addition Ton further discloses the method of claim 1, further comprises:

the subscriber unit rank ordering the plurality of secondary home agents into at least a first secondary home agent and a second secondary home agent (see pg. 6, [0082]), wherein the plurality of secondary home agents are ranked, so when one registration attempt fails with the current home agent, the next secondary home agent becomes the new primary home agent changing its rank to 1. The combination of Ton and Perkins does not specifically disclose having the feature the subscriber unit rank ordering the plurality of home agents. However, the examiner maintains that the feature the subscriber unit rank ordering the plurality of home agents was well known in the art, as taught by Troxel.

In the same field of endeavor, Troxel discloses the feature the subscriber unit rank ordering the plurality of home agents (see pg. 4, [0051]), wherein a mobile node ranks foreign agents based on several factors such as services and capacity.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, and Troxel to have the feature the subscriber unit rank ordering the plurality of home agents, in order to relay and

assist network management decision procedures, thus setting up a faster registration for a particular subscriber, as taught by Troxel.

Regarding **claim 3**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed, as applied above (see claim 2), in addition Ton further discloses the method of claim 2, further comprising:

attempting registration with the first secondary home agent (see pg. 3, [0036, 0040]; pg. 4, [0044]; pg. 6, [0081]), wherein the subscriber unit attempts registration with an alternate or first secondary home agent (HA2);

failing to achieve registration with the first secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts registration with a secondary home agent due to failure when attempting registration with a previous home agent; and

attempting registration with the second secondary home agent (see pg. 3, [0036, 0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the objective of the invention is to provide alternate home agents in case of failure when attempting registration with a current home agent, subsequently attempting registration if such consecutive failure occurs during the process, therefore the subscriber unit selects and attempts registration with a second secondary home agent due to failure when attempting registration with a previous home agent.

Regarding **claim 10**, Ton discloses a method for registering a subscriber unit with a home agent in a cellular system (see pg. 2, [0019]; Figs. 2-5), where a cellular system

incorporating data communications packet switched networks and that deploys several home agents and a subscriber unit or mobile node, the method comprising:

storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs. 2-3, [0023, 0028]; pg. 5, [0060-0062]), wherein the cellular system/network provides a list of home agents attached to a mobile IP reply message (Mobile IP RRP) through which the subscriber unit may register, and subsequently the subscriber unit stores said list of alternate home agents for redundancy support, in which that redundancy support, and where the subscriber unit can receive an advertisement to be aware of another home agent in addition to the primary home agent that is pre-assigned to the subscriber unit as evidenced by the fact that one of ordinary skill in the art would clearly recognize (see pg. 3, [0036, lines 9-12; 0039, lines 3-4]),

wherein the plurality of home agents includes a primary home agent and a plurality of secondary home agents (see pgs. 2-3, [0023-0026, 0028]; pg. 4, [0055-0057]; pg. 5, [0060-0062]), wherein the subscriber unit is statically configured to a primary home agent for registration and in case of failure, the network provides a list of secondary home agents through which the subscriber unit may register, or in an alternate embodiment the list is statically configured as well as in the subscriber unit if no modifications are made in the system/network mobility agents;

attempting the first registration with the primary home agent (see pg. 3, [0036, 0040]; pg. 4, [0044]; pg. 6, [0081]), where the subscriber unit is statically configured to attempt registration with a given #1 home agent (HA1);

failing to achieve registration with the primary home agent (see pg. 3, [0038-0039]; Fig. 1 “steps 120-140”), wherein the request for registration of the subscriber unit is not completed due to failure of the primary home agent;

rank ordering the plurality of secondary home agents into at least a first secondary home agent and a second secondary home agent (see pg. 6, [0082]), wherein the plurality of secondary home agents are ranked, so when one registration attempt fails with the current home agent, the next secondary home agent becomes the new primary home agent changing its rank to 1,

in an attempt to balance load among the plurality of secondary home agents (see pg. 3, [0040]), where mobile node attempting registration with a primary home agent (HA1), subsequently the network attempting to balanced the load between different or secondary home agents, and through the network selecting or choosing a home agent having a lower load; and

attempting registration with the first secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts registration with a secondary home agent due to failure when attempting registration with a previous home agent. Ton does not specifically disclose having the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt. However, the examiner maintains that the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt was well known in the art, as taught by Perkins.

In the same field of endeavor, Perkins discloses the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt (see pgs. 34-35, section 3.6), where a mobile node (subscriber unit) in a mobile IP communication system can be configured to store IP addresses of one or more home agents (i.e., primary and secondary home agents) for discovering and registration in the system.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton and Perkins to have the feature(s) storing addresses for a plurality of home agents in the subscriber unit prior to a first registration attempt, in order to efficiently achieving registration, as taught by Perkins. The combination of Ton and Perkins does not specifically disclose having the feature the subscriber unit rank ordering the plurality of home agents. However, the examiner maintains that the feature the subscriber unit rank ordering the plurality of home agents was well known in the art, as taught by Troxel.

In the same field of endeavor, Troxel discloses the feature the subscriber unit rank ordering the plurality of home agents (see pg. 4, [0051]), wherein a mobile node ranks foreign agents based on several factors such as services and capacity.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, and Troxel to have the feature the subscriber unit rank ordering the plurality of home agents, in order to relay and assist network management decision procedures, thus setting up a faster registration for a particular subscriber, as taught by Troxel.

Regarding **claim 11**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed, as applied above (see claim 10), in addition Ton further discloses the method of claim 10, further comprising:

failing to achieve registration with the first secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts registration with a secondary home agent due to failure when attempting registration with a previous home agent; and

attempting registration with the second secondary home agent (see pg. 3, [0036, 0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the objective of the invention is to provide alternate home agents in case of failure when attempting registration with a current home agent, subsequently attempting registration if such consecutive failure occurs during the process, therefore the subscriber unit selects and attempts registration with a second secondary home agent due to failure when attempting registration with a previous home agent.

Regarding **claim 16**, the combination of Ton and Perkins discloses every limitation claimed, as applied above (see claim 15), in addition Ton further discloses the subscriber unit of claim 15, wherein execution of the software instructions further causes the subscriber unit to:

rank ordering the plurality of secondary home agents into at least a first secondary home agent and a second secondary home agent (see pg. 6, [0082]), wherein the plurality of secondary home agents are ranked, so when one registration attempt fails with the current home agent, the next secondary home agent becomes the new primary home agent changing

its rank to 1. The combination of Ton and Perkins does not specifically disclose having the feature the subscriber unit rank ordering the plurality of home agents. However, the examiner maintains that the feature the subscriber unit rank ordering the plurality of home agents was well known in the art, as taught by Troxel.

In the same field of endeavor, Troxel discloses the feature the subscriber unit rank ordering the plurality of home agents (see pg. 4, [0051]), wherein a mobile node ranks foreign agents based on several factors such as services and capacity.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, and Troxel to have the feature the subscriber unit rank ordering the plurality of home agents, in order to relay and assist network management decision procedures, thus setting up a faster registration for a particular subscriber, as taught by Troxel.

Regarding **claim 17**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed, as applied above (see claim 16), in addition Ton further discloses the subscriber unit of claim 16, wherein execution of the software instructions further causes the subscriber unit to:

attempting registration with the first secondary home agent (see pg. 3, [0036, 0040]; pg. 4, [0044]; pg. 6, [0081]), wherein the subscriber unit attempts registration with an alternate or first secondary home agent (HA2);

failing to achieve registration with the first secondary home agent (see pg. 3, [0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the subscriber unit selects and attempts

registration with a secondary home agent due to failure when attempting registration with a previous home agent; and

attempting registration with the second secondary home agent (see pg. 3, [0036, 0040]; pg. 5, [0063-0064]; Fig. 1 “steps 150-180”), wherein the objective of the invention is to provide alternate home agents in case of failure when attempting registration with a current home agent, subsequently attempting registration if such consecutive failure occurs during the process, therefore the subscriber unit selects and attempts registration with a second secondary home agent due to failure when attempting registration with a previous home agent.

Claims 4 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins (“IP Mobility Support”)** and further in view of **Troxel et al.** (hereinafter Troxel) (**US 2002/0078238 A1**) as applied to claims 2 and 10 above, and further in view of **Jue et al.** (hereinafter Jue) (**“Design and Analysis of a Replicated Server Architecture for Supporting IP Host Mobility”**) and **Tiedemann et al.** (hereinafter Tiedemann) (**US 6,615,050 B1**).

Regarding **claim 4**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed as applied above in claim 2. The combination of Ton, Perkins, and Troxel does not specifically disclose having the features the subscriber unit generating a random number; and the subscriber unit using the random number to rank order the plurality of secondary home agents. However, the examiner maintains that the features generating a

random number; and using the random number to rank order the plurality of secondary home agents was well known in the art, as taught by Jue.

In the same field of endeavor, Jue discloses the features generating a random number; and using the random number to rank order the plurality of secondary home agents (see pg. 20, cols. 1-2; pg. 21, col. 2; pg. 22, col. 1; pg. 23, col. 1), where a method for randomly selecting home agents for achieving higher load gains.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, Troxel, and Jue to have the features generating a random number; and the subscriber unit using the random number to rank order the plurality of secondary home agents, in order to improve performance when balancing load between home agents during high or irregular traffic volume rate, as taught by Jue. The combination of Ton, Perkins, Troxel, and Jue does not specifically disclose having the feature the subscriber unit generating a random number. However, the examiner maintains that the feature the subscriber unit generating a random number was well known in the art, as taught by Tiedemann.

In the same field of endeavor, Tiedemann discloses the feature the subscriber unit generating a random number (see col. 4, lines 46-62), wherein a mobile station generates a random number.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, Troxel, Jue, and Tiedemann to have the feature the subscriber unit generating a random number, in order to

delay information broadcast at random intervals, thus avoiding collision, as taught by Tiedemann.

Regarding **claim 12**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed as applied above in claim 10. The combination of Ton, Perkins, and Troxel does not specifically disclose having the features the subscriber unit generating a random number; and the subscriber unit using the random number to rank order the plurality of secondary home agents. However, the examiner maintains that the features generating a random number; and using the random number to rank order the plurality of secondary home agents was well known in the art, as taught by Jue.

In the same field of endeavor, Jue discloses the features generating a random number; and using the random number to rank order the plurality of secondary home agents (see pg. 20, cols. 1-2; pg. 21, col. 2; pg. 22, col. 1; pg. 23, col. 1), where a method for randomly selecting home agents for achieving higher load gains.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, Troxel, and Jue to have the features generating a random number; and the subscriber unit using the random number to rank order the plurality of secondary home agents, in order to improve performance when balancing load between home agents during high or irregular traffic volume rate, as taught by Jue. The combination of Ton, Perkins, Troxel, and Jue does not specifically disclose having the feature the subscriber unit generating a random number. However, the examiner maintains that the feature the subscriber unit generating a random number was well known in the art, as taught by Tiedemann.

In the same field of endeavor, Tiedemann discloses the feature the subscriber unit generating a random number (see col. 4, lines 46-62), wherein a mobile station generates a random number.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, Troxel, Jue, and Tiedemann to have the feature the subscriber unit generating a random number, in order to delay information broadcast at random intervals, thus avoiding collision, as taught by Tiedemann.

Claims 5-6 and 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins** (hereinafter Perkins A) ("**IP Mobility Support**") and further in view of **Troxel et al.** (hereinafter Troxel) (**US 2002/0078238 A1**) as applied to claims 2 and 10 above, and further in view of **Perkins** (hereinafter Perkins B) ("**Mobile Networking Through Mobile IP**") and **Fehnel (US 5,590,092)**.

Regarding **claims 5 and 6**, the combination of Ton, Perkins (A), and Troxel discloses every limitation claimed as applied above in claim 2. The combination of Ton, Perkins (A), and Troxel does not specifically disclose having the features the subscriber unit determining a current date; and the subscriber unit using the current date to rank order the plurality of secondary home agents. However, the examiner maintains that the features determining a current date; and using the current date to rank order the plurality of secondary home agents was well known in the art, as taught by Perkins (B).

In the same field of endeavor, Perkins (B) discloses the features determining a current date; and using the current date to rank order the plurality of secondary home agents (see pg. 62, col. 2 - pg. 63, col. 1), wherein the network employs unique identification fields using timestamps when a subscriber unit is requesting registration with a home agent.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins (A), Troxel, and Perkins (B) to have the features determining a current date; and using the current date to rank order the plurality of secondary home agents, in order to secure registration requests by differing each registration from another, as taught by Perkins (B).

The combination of Ton, Perkins (A), Troxel, and Perkins (B) does not specifically disclose having the feature the subscriber unit generating a current date or time. However, the examiner maintains that the feature the subscriber unit generating a current date or time was well known in the art, as taught by Fehnel.

In the same field of endeavor, Fehnel discloses the feature the subscriber unit generating a current date or time (see col. 3, lines 26-39), where a cellular radiotelephone comprises means for generating a current time of day.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins (A), Troxel, Perkins (B), and Fehnel to have the feature the subscriber unit generating a current date or time, in order to generate time without the addition of a real time clock chip in the subscriber unit, as taught by Fehnel.

Regarding **claims 13 and 14**, the combination of Ton, Perkins (A), and Troxel discloses every limitation claimed as applied above in claim 10. The combination of Ton, Perkins (A), and Troxel does not specifically disclose having the features the subscriber unit determining a current date; and the subscriber unit using the current date to rank order the plurality of secondary home agents.

However, the examiner maintains that the features determining a current date; and using the current date to rank order the plurality of secondary home agents was well known in the art, as taught by Perkins (B).

In the same field of endeavor, Perkins (B) discloses the features determining a current date; and using the current date to rank order the plurality of secondary home agents (see pg. 62, col. 2 - pg. 63, col. 1), wherein the network employs unique identification fields using timestamps when a subscriber unit is requesting registration with a home agent.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins (A), Troxel, and Perkins (B) to have the features determining a current date; and using the current date to rank order the plurality of secondary home agents, in order to secure registration requests by differing each registration from another, as taught by Perkins (B).

The combination of Ton, Perkins (A), Troxel, and Perkins (B) does not specifically disclose having the feature the subscriber unit generating a current date or time. However, the examiner maintains that the feature the subscriber unit generating a current date or time was well known in the art, as taught by Fehnel.

In the same field of endeavor, Fehnel discloses the feature the subscriber unit generating a current date or time (see col. 3, lines 26-39), where a cellular radiotelephone comprises means for generating a current time of day.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins (A), Troxel, Perkins (B), and Fehnel to have the feature the subscriber unit generating a current date or time, in order to generate time without the addition of a real time clock chip in the subscriber unit, as taught by Fehnel.

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins (“IP Mobility Support”)** and further in view of **Troxel et al.** (hereinafter Troxel) (**US 2002/0078238 A1**) as applied to claim 17 above, and further in view of **Jue et al.** (hereinafter Jue) (**“Design and Analysis of a Replicated Server Architecture for Supporting IP Host Mobility”**).

Regarding **claim 18**, the combination of Ton, Perkins, and Troxel discloses every limitation claimed as applied above in claim 17. The combination of Ton, Perkins, and Troxel does not specifically disclose having the features generate a random number; and use the random number to rank order the plurality of secondary home agents. However, the examiner maintains that the features generate a random number; and use the random number to rank order the plurality of secondary home agents was well known in the art, as taught by Jue.

In the same field of endeavor, Jue discloses the features generate a random number; and use the random number to rank order the plurality of secondary home agents (see pg. 20, cols. 1-2; pg. 21, col. 2; pg. 22, col. 1; pg. 23, col. 1), where a method for randomly selecting home agents for achieving higher load gains.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins, Troxel, and Jue to have the features generate a random number; and use the random number to rank order the plurality of secondary home agents, in order to improve performance when balancing load between home agents during high or irregular traffic volume rate, as taught by Jue.

Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Ton (US 2002/0067704 A1)** in view of **Perkins** (hereinafter Perkins A) (“**IP Mobility Support**”) and further in view of **Troxel et al.** (hereinafter Troxel) (**US 2002/0078238 A1**) as applied to claim 17 above, and further in view of **Perkins** (hereinafter Perkins B) (“**Mobile Networking Through Mobile IP**”).

Regarding **claims 19 and 20**, the combination of Ton, Perkins (A), and Troxel discloses every limitation claimed as applied above in claim 17. The combination of Ton, Perkins (A), and Troxel does not specifically disclose having the features the subscriber unit determining a current date; and the subscriber unit using the current date to rank order the plurality of secondary home agents. However, the examiner maintains that the features determining a current date; and using the current date to rank order the plurality of secondary home agents was well known in the art, as taught by Perkins (B).

In the same field of endeavor, Perkins (B) discloses the features determining a current date; and using the current date to rank order the plurality of secondary home agents (see pg. 62, col. 2 - pg. 63, col. 1), wherein the network employs unique identification fields using timestamps when a subscriber unit is requesting registration with a home agent.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Ton, Perkins (A), Troxel, and Perkins (B) to have the features determining a current date; and using the current date to rank order the plurality of secondary home agents, in order to secure registration requests by differing each registration from another, as taught by Perkins (B).

Response to Arguments

4. Applicant's arguments with respect to claims 1-23 have been considered but are moot in view of the new ground(s) of rejection necessitated by the amended language and/or new limitations.

In response to applicant's arguments, the Examiner respectfully disagrees as the applied reference(s) provide more than adequate support and to further clarify (see the above claims for relevant citations).

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to WILLIE J. DANIEL JR whose telephone number is (571)272-7907. The examiner can normally be reached on 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Appiah can be reached on (571) 272-7904. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/WJD,Jr/

WJD,Jr
12 February 2009

/Charles N. Appiah/
Supervisory Patent Examiner, Art Unit 2617